QDKSHD





Visit us

Qingdao Kesheng Hongda

Industry & Trade Co., Ltd.

Address: Tongji Industrial Park, Jimo District, Qingdao City,
Shandong Province, China
WhatsApp: +86 13070876125
Email: joanna@qdkshd.com

About KSHD

Qingdao Kesheng Hongda Industry & Trade Co., Ltd. is a Компанияпопроизводствумашинногооборудования «Циндао Руйруй» и factory with approximately 20 years of professional experience in меет около 20 лет профессионального опыта в производстве комплектующих the manufacturing of trailer parts. We specialize in producing high- для прицепов. Мы специализируемся на выпуске высококачественных quality trailer components, including trailer balls, trailer couplers, компонентов, включая тяговые шары, сцепные устройства для прицепов, hitch pins, and more, offering customized, OEM, and ODM services. шплинты и другие изделия, а также предоставляем услуги индивидуального The company holds multiple international certifications such as ISO изготовления, OEM и ODM. Компания обладает международными and CE, and our products are known for their excellent cost- сертификатами ISO, CE и другими, а наши продукты отличаются отличным effectiveness. Guided by our core philosophy of innovation, quality, соотношением цены и качества. Придерживаясь принципов инноваций, and service, we are committed to providing reliable parts solutions качества и обслуживания, мы стремимся предлагать глобальным клиентам for global customers. Located in Qingdao, adjacent to Qingdao Port, надежные решения в области комплектующих. Наш завод расположен в our factory benefits from superior geographical advantages and Циндао, рядом с портом Циндао, что обеспечивает выгодное географическое efficient logistics, ensuring smooth product transportation and положение и эффективную логистику, гарантируя бесперебойную доставку collaboration with customers.

продукции и удобное сотрудничество с клиентами.

Choose Us

Main Products:








Certifications:

С ертификаты


Quality Management System Certificate

Qingdao Runxi Machinery Manufacturing Co., Ltd

GB/T 19001-2016/ISO 9001:2015

IAF CNAS

NSY Certification (Shanghai) Co., Ltd.


CERTIFICATION

CERTIFICATE

No. SC-MD-2026-01-08

CE



TRAILER COUPLER

The trailer coupler is the foremost part of the trailer, which is used to connect the hook of the tractor to the trailer. According to the required bearing capacity, we need to choose a trailer coupler of suitable size and style to use. The coupler size must match the size of the trailer ball.

PRODUCT INDEX



04 STRAIGHT COUPLER



05-06 A-FRAME COUPLER



07 ADJUSTABLE COUPLER



08 OTHER COUPLER



09 GOOSENECK COUPLER



10 EUROPEAN COUPLER



10 AUSTRALIAN COUPLER



11 LUNETTE RING



11 CHANNEL BRACKET



12 OTHER COUPLER ACCESSORIES

QDKSHD

Straight Coupler



1BJY-TC-04



1BJY-TC-01
1BJY-TC-02
1BJY-TC-03



1BJY-TC-07



1BJY-TC-05
1BJY-TC-06

JY NO.	Ball Size	Channel Size	Capacity	SAE	Finished
1BJY-TC-01	1-7/8"	2"	2000LBS	Class Ⅰ	Zinc/Black/Oil
1BJY-TC-02	1-7/8"	3-1/2"	2000LBS	Class Ⅰ	Zinc/Black/Oil
1BJY-TC-03	1-7/8"	3"	2000LBS	Class Ⅰ	Zinc/Black/Oil
1BJY-TC-04	2"	2"	3500LBS	Class Ⅱ	Zinc/Black/Oil
1BJY-TC-05	2"	2-1/2"	3500LBS	Class Ⅱ	Zinc/Black/Oil
1BJY-TC-06	2"	3"	3500LBS	Class Ⅱ	Zinc/Black/Oil
1BJY-TC-07	2"	3"	5000LBS	Class Ⅲ	Zinc/Black/Oil



A-Frame Coupler



1BJY-TC-08



1BJY-TC-09



1BJY-TC-10
1BJY-TC-11



1BJY-TC-13
1BJY-TC-14



1BJY-TC-19
1BJY-TC-20

JY NO.	Ball Size	Capacity	SAE/CSA	Finished
1BJY-TC-08	2"	5000LBS	Class III	Black/Zinc/Oil
1BJY-TC-09	2"	5000LBS	Class III	Black/Zinc/Oil
1BJY-TC-10	2"	7000LBS	Class IV	Black/Zinc/Oil
1BJY-TC-11	2-5/16"	12500LBS	Class IV	Black/Zinc/Oil
1BJY-TC-13	2-5/16"	10000LBS	Class IV	Black/Zinc/Oil
1BJY-TC-14	2-5/16"	14000LBS	Class IV	Black/Zinc/Oil
1BJY-TC-19	2"	5000LBS	Class III	Black/Zinc/Oil
1BJY-TC-20	2"	8000LBS	Class IV	Black/Zinc/Oil



A-Frame Coupler



NEW

1BJY-TC-42B

- **Ball size:** 2-5/16"
- **Capacity:**15000LBS
- **Jack hole diameter:** 2-3/8"
- **Pin hole diameter:** 5/16"
- **Overall dimensions:** 17-1/2" long x 10-3/4" wide







NEW

1BJY-TC-45B / 1BJY-TC-46B

- **Ball size:** 2" / 2-5/16"
- **Capacity:**10000LBS / 15000LBS
- **Jack hole diameter:** 2-3/8"
- **Lock pin hole diameter:** 3/8"
- **Length:** 18"



1BJY-TB-01

- **Coupler ball:** 2"
- **Arm extend:** 26"-41"
- **Capacity:** 5000LBS



Adjustable Coupler



1BJY-TC-12



1BJY-TC-15
1BJY-TC-16



1BJY-TC-17
1BJY-TC-18



1BJY-TC-25
1BJY-TC-26

JY NO.	Ball Size	Finished	Capacity	SAE
1BJY-TC-12	2-5/16"	Black/Zinc/Oil	15000LBS	Class IV
1BJY-TC-15	2"	Black/Zinc/Oil	7000LBS	Class IV
1BJY-TC-16	2-5/16"	Black/Zinc/Oil	12500LBS	Class IV
1BJY-TC-17	2"	Black/Zinc/Oil	8000LBS	Class IV
1BJY-TC-18	2-5/16"	Black/Zinc/Oil	14000LBS	Class IV
1BJY-TC-25	2"	Black/Zinc/Oil	10000LBS	Class IV
1BJY-TC-26	2-5/16"	Black/Zinc/Oil	15000LBS	Class IV



Other Coupler



1BJY-TC-25T
1BJY-TC-26T



1BJY-TC-29
1BJY-TC-30



1BJY-TC-47
1BJY-TC-48

JY NO.	Ball Size	Capacity	Finished	Bolt
1BJY-TC-25T	2"	10000LBS	Black/Zinc/Oil	/
1BJY-TC-26T	2-5/16"	15000LBS	Black/Zinc/Oil	/
1BJY-TC-29	2"	8000LBS	Black/Zinc/Oil	with/without
1BJY-TC-30	2-5/16"	14000LBS	Black/Zinc/Oil	with/without
1BJY-TC-47	2"	7500LBS	Black/Zinc/Oil	/
1BJY-TC-48	2-5/16"	10000LBS	Black/Zinc/Oil	/

1BJY-TC-40

NEW

- **Gross towing weight:**20000LBS
- **Tongue weight:**2000LBS
- **Capacity:**14000LBS
- **Vertical channel:**3-1/2"x11-3/4" w/2"
- **Outer front width:**4"
- **Outer rear width:**11"
- **Front-to-back length:**7-1/2"
- Equipped with 6 Adjustment Holes
- **Welding status:** Spare parts/Welding parts





NEW

- **Gross towing weight:**20000LBS
- **Tongue weight:**2000LBS
- **Capacity:**14000LBS
- **Vertical channel:**3-1/2"
- **Outer front width:**4"
- **Outer rear width:**11"
- **Front-to-back length:**7-1/2"
- Equipped with 6 Adjustment Holes

Trailer Coupling




1BJY-EBC-002R



1BJY-EBC-003

JY NO.	Ball Size	Channel Size	Capacity	E-Mark	Note
1BJY-EBC-001	50MM	40MM	800KG	E24	Square
1BJY-EBC-002	50MM	50MM	800KG	E24	Square
1BJY-EBC-003	50MM	60MM	800KG	E24	Square
1BJY-EBC-004	50MM	50MM	1400KG	E24	Square
1BJY-EBC-006	50MM	60MM	1400KG	E24	Square
1BJY-EBC-002R	50MM	50MM	800KG	E24	Round
1BJY-EBC-003R	50MM	60MM	800KG	E24	Round















Trailer Jack Foot



1BJY-JT-05



1BJY-JT-02



1BJY-JT-01



1BJY-JT-04



1BJY-JT-07



1BJY-JT-06

JY NO.	Capacity	Finished	Diameter	Height
1BJY-JT-01	5000LBS	Zinc	2"	3-1/4"
1BJY-JT-02	5000LBS	Zinc	2"	7-1/2"
1BJY-JT-04	5000LBS	Zinc	2"	2''
1BJY-JT-05	5000LBS	Zinc	2"	12"
1BJY-JT-06	2000LBS	Zinc	2"	1-1/2"
1BJY-JT-07	7000LBS	Zinc	2"*2"	16-8/9"

Lunette Ring



1BJY-PR-01
1BJY-PR-02



1BJY-CK-04

JY NO.	Capacity	Finished
1BJY-PR-01	14000LBS	Oil/Black
1BJY-PR-02	24000LBS	Oil/Black
1BJY-CK-04/1BJY-CK-06	14000LBS	Oil/Black

Channel Bracket



1BJY-CP-06



1BJY-CK-02

JY NO	Hole	Capacity	Position	Finished
1BJY-CP-04	4 Holes	13000LBS	3-Position Channel	Oil/Black
1BJY-CP-06	6 Holes	15000LBS	5-Position Channel	Oil/Black
JY NO.	Trailer Coupler		Channel Bracket	Finished
1BJY-CK-02	2-5/16" Ball Size, 15000LBS Capacity(1BJY-TC-12)		4 Hole, 3-Position Channel(1BJY-CP-04)	Oil/Black

Other Coupler Accessories

Coupler Handle



1BJY-CL-01
1BJY-CL-02
1BJY-CL-03



1BJY-CL-04
1BJY-CL-05
1BJY-CL-06



1BJY-TCH-01

Safety Pin



1BJY-LP-01




1BJY-LP-02



1BJY-LP-03

JY NO.	Product Detail	Capacity	Finished
1BJY-CL-01	Repair Kit for 1-7/8" Ball Straight Channel Couplers	2000LBS	Zinc
1BJY-CL-02	Repair Kit for 2" Ball Straight Channel Couplers	3500LBS	Zinc
1BJY-CL-03	Repair Kit for 2" Ball Straight Channel Couplers	5000LBS	Zinc
1BJY-CL-04	Repair Kit for 1-7/8" Ball Straight Channel Couplers with Chain	2000LBS	Zinc
1BJY-CL-05	Repair Kit for 2" Ball Straight Channel Couplers with Chain	3500LBS	Zinc
1BJY-CL-06	Repair Kit for 2" Ball Straight Channel Couplers with Chain	5000LBS	Zinc
JY NO.	Product Detail		Finished
1BJY-TCH-01	Fits 1-7/8" and 2" couplers		Zinc
1BJY-LP-01	Pin with steel ball		Zinc
1BJY-LP-02	Φ6 Snapper Pin for Jack Foot, Caster Wheel and Couplers		Zinc
1BJY-LP-03	Pin for 7K and 12.5K Sleeve Lock Couplers		Zinc





TRAILER JACK

Trailer jacks or tongue jacks, are used to raise and stabilize a trailer so it can be attached to the towing vehicle. It's one of many hitch accessories used to make the process of towing a little easier.

PRODUCT INDEX



14 MARINE JACK

15 A-FRAME JACK

16-17 SWIVEL JACK

18 DIRECT-WELD SQUARE JACK

19 ELECTRIC JACK

19 JOCKEY WHEEL

20 RV STABILIZER JACK

21-22 JACK ACCESSORIES

QDKSHD

Marine Jack



1BJY-TJ-01
1BJY-TJ-02


1BJY-TJ-04

1BJY-TJ-06S
1BJY-TJ-08
1BJY-TJ-08S
1BJY-TJ-64

1BJY-TJ-03
1BJY-TJ-05
1BJY-TJ-09
1BJY-TJ-10

JY NO.	Capacity	Travel	Finished	Handle Type	Wheel	Feature
1BJY-TJ-01	1000LBS	10"	Zinc	Side	1*6"	Round,Snap Ring
1BJY-TJ-02	1000LBS	10"	Powder+Zinc	Side	1*6"	Round,Snap Ring
1BJY-TJ-03	1000LBS	10"	Zinc	Side	1*6"	Round,Bolt
1BJY-TJ-04	1000LBS	10"	Powder+Zinc	Top	1*6"	Round,Snap Ring
1BJY-TJ-05	1500LBS	10"	Zinc	Side	1*6"	Round,Bolt
1BJY-TJ-09	1500LBS	10"	Zinc	Side	1*8"	Round,Bolt
1BJY-TJ-10	1500LBS	10"	Zinc	Side	1*8"	Round,Bolt
1BJY-TJ-06	1500LBS	10"	Zinc	Side	2*6"	Round,Snap Ring, Single Wheel Rack
1BJY-TJ-06S	1500LBS	10"	Zinc	Side	2*6"	Round,Bolt, Single Wheel Rack
1BJY-TJ-64	2000LBS	12"	Zinc	Side	2*6"	Round,Bolt, Double Wheel Rack
1BJY-TJ-08	2000LBS	10"	Zinc	Side	2*8"	Round,Bolt, Double Wheel Rack
1BJY-TJ-08S	2000LBS	12"	Zinc	Side	2*8"	Round,Bolt, Double Wheel Rack

Trailer Axle





NO.	A(mm)	B(mm)
1	870	1170
2	1080	1370
3	1260	1570
4	1560	1870
5	1660	1970
6	1760	2070
7	1960	2290













PRODUCT INDEX



24
TRAILER BALL MOUNT



25-26
MULTI-BALL MOUNT



27
ALUMINIUM ALLOY BALL MOUNT



28
PINTLE HOOK



28
PINTLE MOUNT



29
RECEIVER TUBE



29
TRAILER HITCH TIGHTENER

Multi-Ball Mount



1BJY-HM-23
1BJY-HM-24

1BJY-HM-25
1BJY-HM-26

1BJY-HM-30


1BJY-HM-32

1BJY-HM-52

JY NO.	Shank Length	Receiver Tube	Ball Diameter	Shank	GTW	TW	Note
1BJY-HM-23	8"	2"*2"	1-7/8"/2"	Hollow	2000/ 6000LBS	200/ 600LBS	Black
1BJY-HM-24	8"	2"*2"	2"/2-5/16"	Hollow	6000/ 10000LBS	600/ 1000LBS	Black
1BJY-HM-25	8"	2"*2"	1-7/8"/2"	Hollow	2000/ 6000LBS	200/ 600LBS	Silver
1BJY-HM-26	8"	2"*2"	2"/2-5/16"	Hollow	6000/ 10000LBS	600/ 1000LBS	Silver
1BJY-HM-30	7"/8.5"	2"*2"	1-7/8"/2"/2-5/16"	Hollow	2000/6000/ 10000LBS	200/600/ 1000LBS	Body Black Hitch Ball Silver
1BJY-HM-31	7"/8.5"	2"*2"	1-7/8"/2"/2-5/16"	Hollow	2000/6000/ 10000LBS	200/600/ 1000LBS	Zinc
1BJY-HM-32	7"/8.5"	2"*2"	1-7/8"/2"/2-5/16"	Hollow	2000/6000/ 10000LBS	200/600/ 1000LBS	Black
1BJY-HM-52	8.5"	2"*2"	2"/2-5/16"	Hollow	6000/ 10000LBS	600/ 1000LBS	Black



Adjustale Ball Mount



1BJY-HM-44

1BJY-HM-66

1BJY-HM-62


1BJY-HM-67

JY NO.	Drop	Rise	Receiver Tube	Shank Length	Ball Diameter	GTW	TW	Note
1BJY-HM-44	0-6"	0-6"	2" x 2"	12"	2"/2-5/16"	6000/ 10000LBS	600/ 1000LBS	Sliver
1BJY-HM-45	0-6"	0-6"	2" x 2"	12"	2"/2-5/16"	6000/ 10000LBS	600/ 1000LBS	Red
1BJY-HM-46	0-6"	0-6"	2" x 2"	12"	2"/2-5/16"	6000/ 10000LBS	600/ 1000LBS	Black
1BJY-HM-63	0-4"	0-4"	2" x 2"	12"	2"/2-5/16"	6000/ 10000LBS	600/ 1000LBS	Black
1BJY-HM-64	0-6"	0-6"	2" x 2"	12"	2"/2-5/16"	6000/ 10000LBS	600/ 1000LBS	Black
1BJY-HM-65	0-8"	0-8"	2" x 2"	12"	2"/2-5/16"	6000/ 10000LBS	600/ 1000LBS	Black
1BJY-HM-66	0-10"	0-10"	2" x 2"	12"	2"/2-5/16"	6000/ 10000LBS	600/ 1000LBS	Black
1BJY-HM-62	6"	5-1/4"	2" x 2"	17"	2"/2-5/16"	6000/ 10000LBS	600/ 1000LBS	Black
1BJY-HM-67	5-3/4"	4"	2" x 2"	15-1/4"	1-7/8"/2"/ 2-5/16"	2000/6000/ 10000LBS	200/600/ 1000LBS	Black



Trailer Ball Mount





- **A.** The distance is from the top of the receiver tube to the level ground.
- **B.** The distance is from the bottom of the ball platform to the level ground.
- **C.** Drop is the distance the ball platform is set below the top of the shank.
- Rise is the distance the ball platform is set above the top of the shank.

JY NO.	Drop	Rise	Shank Length	Receiver Tube	Hole Diameter	Shank	Capacity	Note
1BJY-HM-68	2"	3/4"	8-1/2"	2"*2"	1"	Hollow	5000LBS	Silver
1BJY-HM-69	2"	3/4"	8-1/2"	2"*2"	1"	Hollow	6000LBS	Black
1BJY-HM-70	3"	1-3/4"	8-1/2"	2"*2"	1"	Hollow	6000LBS	Silver
1BJY-HM-71	3"	1-3/4"	8-1/2"	2"*2"	1"	Hollow	6000LBS	Black
1BJY-HM-72	4"	2-3/4"	10-1/4"	2"*2"	1"	Hollow	6000LBS	Silver
1BJY-HM-73	4"	2-3/4"	10-1/4"	2"*2"	1"	Hollow	6000LBS	Black
1BJY-HM-74	5"	3-3/4"	10-1/4"	2"*2"	1"	Hollow	6000LBS	Silver
1BJY-HM-75	5"	3-3/4"	10-1/4"	2"*2"	1"	Hollow	6000LBS	Black
1BJY-HM-07	6"	4-3/4"	10-1/4"	2"*2"	1"	Hollow	7500LBS	Silver
1BJY-HM-76	6"	4-3/4"	10-1/4"	2"*2"	1"	Hollow	7500LBS	Black
1BJY-HM-37	2"	3/4"	8-1/2"	2"*2"	1"	Hollow	6000LBS	Silver
1BJY-HM-38	4"	3/4"	10-1/4"	2"*2"	1"	Hollow	6000LBS	Black



Pintle Hook



1BJY-PH-01A



1BJY-PH-01B
1BJY-PH-01C
1BJY-PH-01D



1BJY-PH-02A



1BJY-PH-02B
1BJY-PH-02C
1BJY-PH-02D

JY NO.	Receiver Tube	Ball Diameter	Capacity
1BJY-PH-01A	2"*2"	No Ball	8T
1BJY-PH-01B	2"*2"	1-7/8"	2000LBS
1BJY-PH-01C	2"*2"	2"	6000LBS
1BJY-PH-01D	2"*2"	2-5/16"	10000LBS
1BJY-PH-02A	2"*2"	No Ball	8T
1BJY-PH-02B	2"*2"	1-7/8"	2000LBS
1BJY-PH-02C	2"*2"	2"	6000LBS
1BJY-PH-02D	2"*2"	2-5/16"	10000LBS

Pintle Mount



1BJY-HA-14
1BJY-HA-14S
1BJY-HA-17



JY NO.	Shank Length	Receiver Tube	Plate Hole	Width	Hitch Pin Hole	Shank	Capacity
1BJY-HA-14	8"	2"*2"	17/32"	3-3/8"	5/8"	Solid	10000LBS
1BJY-HA-14S	12"	2"*2"	17/32"	3-3/8"	5/8"	Solid	10000LBS
1BJY-HA-17	12-1/2"	2"*2"	17/32"	5/8"	5/8"	Solid	10000LBS

Multi-Ball Mount



1BJY-HM-34



1BJY-HM-59



1BJY-HM-22

JY NO.	Shank Length	Receiver Tube	Ball Diameter	Shank	GTW	TW	Note
1BJY-HM-34	7"/8.5"	2"*2"	1-7/8"/2"/ 2-5/16"	Hollow	2000/6000/ 10000LBS	200/600/ 1000LBS	Black
1BJY-HM-35	7"/8.5"	2"*2"	1-7/8"/2"/ 2-5/16"	Hollow	2000/6000/ 10000LBS	200/600/ 1000LBS	Body Black Hitch Ball Silver
1BJY-HM-57	7"/8.5"	2"*2"	1-7/8"/2"/ 2-5/16"	Hollow	2000/6000/ 10000LBS	200/600/ 1000LBS	Red
1BJY-HM-58	8"	2"*2"	1-7/8"/2"/ 2-5/16"	Hollow	2000/6000/ 10000LBS	200/600/ 1000LBS	Red
1BJY-HM-59	8"	2"*2"	1-7/8"/2"/ 2-5/16"	Hollow	2000/6000/ 10000LBS	200/600/ 1000LBS	Black
1BJY-HM-60	8"	2"*2"	1-7/8"/2"/ 2-5/16"	Hollow	2000/6000/ 10000LBS	200/600/ 1000LBS	Body Black Hitch Ball Silver
1BJY-HM-61	8"	2"*2"	1-7/8"/2"/ 2-5/16"	Hollow	2000/6000/ 10000LBS	200/600/ 1000LBS	Silver

JY NO.	Drop	Rise	Shank Length	Receiver Tube	Ball Diameter	Shank	GTW	TW	Note
1BJY-HM-22	8"	2"	10.5"	2"*2"	1-7/8"/2"	Hollow	2000/ 6000LBS	200/ 600LBS	Black
1BJY-HM-53	8"	2"	10.5"	2"*2"	1-7/8"/2"	Hollow	2000/ 6000LBS	200/ 600LBS	Zinc
1BJY-HM-54	8"	2"	10.5"	2"*2"	1-7/8"/2"	Hollow	2000/ 6000LBS	200/ 600LBS	Body Black Hitch Ball Silver



Receiver Tube



1BJY-RT-01



1BJY-RT-02



1BJY-RT-03



1BJY-RT-04



1BJY-RT-05

JY NO.	Inner	Length	Hitch Pin Hole	Capacity
1BJY-RT-01	2"*2"	6"	5/8"	10000LBS
1BJY-RT-02	2"*2"	8"	5/8"	10000LBS
1BJY-RT-03	2"*2"	12"	5/8"	10000LBS
1BJY-RT-04	2"*2"	18"	5/8"	10000LBS
1BJY-RT-05	2"*2"	24"	5/8"	10000LBS

Trailer Hitch Tightener

- Hitch Plate - Carbon Steel - Black Paint - U Bolt - Zinc Plated.
- Perfect for locking 1.25" and 2" hitches, compatible with most hitches classes I, II, III, and IV (1, 2, 3 and 4). Suitable for trailer truck SUV sedan RV camper van and minivan.



1BJY-HC-02



Safety Chain

JY NO	Chain size	Chain lenth	S-hook size	Capacity
1BJY-SC-01-100	3/16"	100cm	3/8"	2000LBS
1BJY-SC-02	3/16"	66cm	3/8"	3000LBS
1BJY-SC-02-100	3/16"	100cm	3/8"	3000LBS
1BJY-SC-02A-TWO	3/16"	122cm	3/8"	3000LBS
1BJY-SC-03	1/4"	66cm	7/16"	5000LBS
1BJY-SC-03-100	1/4"	100cm	7/16"	5000LBS
1BJY-SC-03A	1/4"	122cm	7/16"	5000LBS
1BJY-SC-04	5/16"	66cm	17/32"	7000LBS
1BJY-SC-04-100	5/16"	100cm	17/32"	7000LBS
1BJY-SC-04A	5/16"	80cm	7/16"	5000LBS
1BJY-SC-05	3/8"	66cm	17/32"	7000LBS
1BJY-SC-05-100	3/8"	100cm	17/32"	7000LBS
1BJY-SC-05A	3/8"	80cm	17/32"	7000LBS
1BJY-SC-24	3/8"	140cm	7/16"	5000LBS
1BJY-SC-25	3/8"	140cm	17/32"	7000LBS











JY NO.	Chain size	Chain lenth	Chain Grade	Capacity
1BJY-SC-11	1/4"	66cm	G-43 High Test	7300LBS
1BJY-SC-12	5/16"	80cm	G-43 High Test	10700LBS
1BJY-SC-13-100	3/8"	100cm	G-43 High Test	15000LBS
1BJY-SC-13-66	3/8"	66cm	G-43 High Test	15000LBS
1BJY-SC-13L	3/8"	32"	G-43 High Test	15000LBS
1BJY-SC-14	1/4"	66cm	G-70 Transport Chain	12000LBS
1BJY-SC-14L	1/4"	32"	G-70 Transport Chain	12000LBS
1BJY-SC-15	5/16"	66cm	G-70 Transport Chain	17600LBS
1BJY-SC-15A	5/16"	35"	G-70 Transport Chain	17600LBS
1BJY-SC-15L	5/16"	32"	G-70 Transport Chain	17600LBS
1BJY-SC-16	3/8"	66cm	G-70 Transport Chain	24500LBS
1BJY-SC-16A	3/8"	35"	G-70 Transport Chain	24500LBS
1BJY-SC-18	5/16"	35"	G-70 Transport Chain	17600LBS
1BJY-SC-19	5/16"	35"	G-70 Transport Chain	17600LBS
1BJY-SC-20	3/8"	35"	G-43 High Test	15000LBS
1BJY-SC-21	1/4"	36"	G-70 Transport Chain	12000LBS
1BJY-SC-31	5/16"	20'	G-70 Transport Chain	17600LBS
1BJY-SC-32	5/16"	14'	G-70 Transport Chain	17600LBS
1BJY-SC-33	3/8"	20'	G-70 Transport Chain	24500LBS

Clevis Slip Hook



Clevis Grab Hook



JY NO.	Size	Class	Color
1BJY-CSH-01	1/2"	G70	Gold/Zinc
1BJY-CSH-02	1/4"	G70	Gold/Zinc
1BJY-CSH-03	7/16"	G70	Gold/Zinc
1BJY-CSH-04	5/8"	G70	Gold/Zinc
1BJY-CSH-05	5/16"	G70	Gold/Zinc
1BJY-CSH-06	3/8"	G70	Gold/Zinc
1BJY-CSH-07	1/2"	G70	Gold/Zinc
1BJY-CSH-08	1/4"	G70	Gold/Zinc
1BJY-CSH-09	7/16"	G70	Gold/Zinc
1BJY-CSH-10	5/8"	G70	Gold/Zinc
1BJY-CSH-11	5/16"	G70	Gold/Zinc
1BJY-CSH-12	3/8"	G70	Gold/Zinc

Weld-On Forged D Ring







JY NO.	Description	Diameter	Interior Dimensions	Working Load	Maximum Load
1BJY-DR-01	1" Lashing Ring 3"X4"- Wele on	1"	3"*3-1/2"*4"	15586LBS	47000LBS
1BJY-DR-02	1" Lashing Ring 3"X4"- Weld On Bulk	1"	3"*3-1/2"*4"	15586LBS	47000LBS
1BJY-DR-03	1" Lashing W/ 360° Rotation	1"	3"*3"	15586LBS	47000LBS
1BJY-DR-04	Forged Ged Lashing Ring 1"-55°	1"	3"*3-1/2"	15586LBS	47000LBS
1BJY-DR-05	Forged Ged Lashing Ring 1"-55° Bulk	1"	3"*3-1/2"	15586LBS	47000LBS
1BJY-DR-06	Lashing Ring 1" - Weld On	1"	3"*3"	15666LBS	47000LBS
1BJY-DR-07	Lashing Ring 1/2" - Weld On	1/2"	2-1/4"*2-1/2"	4000LBS	12000LBS
1BJY-DR-08	Lashing Ring 1/2" - Weld On Bulk	1/2"	2-1/4"*2-1/2"	4000LBS	12000LBS
1BJY-DR-09	Lashing Ring 1/2"-Bolt On 3/8" Hole	1/2"	/	4000LBS	12000LBS
1BJY-DR-10	Lashing Ring 3/4" - Weld On	3/4"	3"*3"	8833LBS	26500LBS
1BJY-DR-11	Lashing Ring 5/8" - Weld On	5/8"	3"*3"	6000LBS	18000LBS
1BJY-DR-12	Lashing Ring 5/8" - Weld On Bulk	5/8"	3"*3"	6000LBS	18000LBS



TRAILER HITCH BALL

NBJINGYI trailer hitch ball mount offers a reliable connection for your vehicle and trailer. Ball mounts are available with 1-1/4", 2", 2-1/2" and 3" shanks. We offer everything from standard to specialized, including adjustable ball mount options. From camping trips to commercial jo bs, find the right ball hitch from NBJINGYI.

PRODUCT INDEX



QDKSHD

Trailer Hitch Ball



JY NO.	Ball Dia.	Shank Dia.	Shank Length	Capacity
1BJY-HB-01	1-7/8"	3/4"	1-1/2"	2000LBS
1BJY-HB-03	1-7/8"	3/4"	1-3/4"	2000LBS
1BJY-HB-04	1-7/8"	3/4"	2"	2000LBS
1BJY-HB-05	1-7/8"	3/4"	2-5/16"	2000LBS
1BJY-HB-06	1-7/8"	3/4"	2-1/2"	2000LBS
1BJY-HB-07	1-7/8"	3/4"	3"	2000LBS
1BJY-HB-08	2"	1"	2.13"	7500LBS
1BJY-HB-09	1-7/8"	1"	2"	3500LBS
1BJY-HB-10	1-7/8"	1"	2-1/8"	3500LBS
1BJY-HB-11	2"	1"	5cm	6000LBS
1BJY-HB-12	1-7/8"	1"	2-1/2"	3500LBS
1BJY-HB-13	1-7/8"	1"	3"	3500LBS
1BJY-HB-15	2"	3/4"	1-1/2"	3500LBS
1BJY-HB-16	2"	3/4"	1-3/4"	3500LBS
1BJY-HB-17	2"	3/4"	2"	3500LBS
1BJY-HB-18	2"	3/4"	2-1/8"	3500LBS
1BJY-HB-19	2"	3/4"	2-5/16"	3500LBS
1BJY-HB-20	2"	3/4"	2-1/2"	3500LBS
1BJY-HB-21	2"	3/4"	3"	3500LBS
1BJY-HB-22	2"	3/4"	2-1/4"	3500LBS
1BJY-HB-23	2"	1"	2"	5000LBS

JY NO.	Ball Dia.	Shank Dia.	Shank Length	Capacity
1BJY-HB-24	2"	1"	2-1/8"	6000LBS
1BJY-HB-26	2"	1"	2-1/8"	6000LBS
1BJY-HB-27	2"	1"	2-1/2"	6000LBS
1BJY-HB-28	2"	1"	2-1/4"	6000LBS
1BJY-HB-29	2"	1"	3"	6000LBS
1BJY-HB-30	2"	1"	2-5/16"	6000LBS
1BJY-HB-32	2"	2-1/4"	2-1/4"	5000LBS
1BJY-HB-33	2-5/16"	1"	2"	7500LBS
1BJY-HB-34	2-5/16"	1"	2-1/8"	7500LBS
1BJY-HB-35	2-5/16"	1"	2-1/2"	7500LBS
1BJY-HB-36	2-5/16"	1"	3"	7500LBS
1BJY-HB-39	2-5/16"	2-1/4"	2-1/2"	10000LBS
1BJY-HB-46C	50mm	22.5mm	54mm	1.6T
1BJY-HB-47	50mm	22"	50mm	3.5T
1BJY-HB-48	50mm	22"	54mm	3.5T
1BJY-HB-49	50mm	22"	65mm	3.5T
1BJY-HB-50	50mm	7/8"	50mm	3.5T
1BJY-HB-51	50mm	7/8"	54mm	3.5T
1BJY-HB-52	50mm	7/8"	65mm	3500LBS
1BJY-HB-53	2"	1"	54mm	7500LBS
1BJY-HB-54	1-7/8"	5/8"	1-3/4"	2000LBS









































































